

CBD DROPS HEMP SEED OIL

3-15%



Ingredients: CANNABIS SATIVA SEED OIL, CANNABIS SATIVA BIOMASS EXTRACT



HEMP SEED OIL
Cannabis sativa L.



HEMP EXTRACT
Cannabis sativa L.


CERTIFICATE OF ANALYSIS No.: 2022-7628

CLIENT

Pharmahemp d.o.o., Cesta v Gorice 8
1000 Ljubljana, Slovenija

SAMPLE *

CBD DROPS 3% - hemp oil



Sample condition: SUITABLE
Sample ID: 2205018
Sample type: Viscous liquid
Batch No.: * DR03022031A

Work order: 2022-106131
Analysis ID: 2022_025
Method ID: PHL_RPC_12C
Method SOP: MET-002-03

Sample received: 31/01/2022
Start of analysis: 31/01/2022
End of analysis: 01/02/2022
Analyst: Karmen Korbar

* Information provided by the client.

CANNABINOID PROFILE	Concentration [% w/w]	Expanded uncertainty [% w/w]	Graphic presentation of relative cannabinoid concentration
CBDV - Cannabidivarin	0.0388	0.0089	
CBDA - Cannabidiolic acid	1.780	0.089	
CBGA - Cannabigerolic acid	0.039	0.012	
CBG - Cannabigerol	0.044	0.013	
CBD - Cannabidiol	1.391	0.070	
THCV - Tetrahydrocannabivarin	< LOQ	n/a	
CBN - Cannabinol	< LOQ	n/a	
CBC - Cannabichromene	0.0449	0.0099	
THC - Δ-9-Tetrahydrocannabinol	0.066	0.015	
THCA - Δ-9-Tetrahydrocannabinolic acid	0.0324	0.0071	
8-THC - Δ-8-Tetrahydrocannabinol	< LOQ #	n/a	
CBL - Cannabicyclol	< LOQ #	n/a	

Units and abbreviations: % w/w = weight percent, < LOQ = below the limit of quantitation (0.03 % w/w), ND = not detected, n/a = not available.


The results given herein apply only to the sample as received. **Expanded Uncertainty** was calculated using coverage factor $k = 2$, corresponding to a double standard uncertainty and characterizes the interval value in which it is possible to expect the real value with a probability of 95%. This is stated according to the ISO/IEC Guide 98-3.

Total or partial reproduction of this document is not allowed without the permit from PharmaHemp d.o.o. The document does not substitute any other legal document.

Date issued:

01/02/2022

Approved by:



mag. Marko Dragan

Analytical Laboratory Manager

Authorized by:



dr. Boštjan Jančar

Chief Technology Officer

End of Certificate


CERTIFICATE OF ANALYSIS No.: 2022-9007

CLIENT

Pharmahemp d.o.o., Cesta v Gorice 8
1000 Ljubljana, Slovenija

SAMPLE *

CBD DROPS 5% - hemp oil



Sample condition: SUITABLE
Sample ID: 2220039
Sample type: Viscous liquid
Batch No.: * DR05022138B

Work order: 2022-106542
Analysis ID: 2022_115
Method ID: PHL_RPC_12C
Method SOP: MET-LAB-003-02

Sample received: 19/05/2022
Start of analysis: 19/05/2022
End of analysis: 20/05/2022
Analyst: Janez Gerdenc

* Information provided by the client.

CANNABINOID PROFILE	Concentration [% w/w]	Expanded uncertainty [% w/w]	Graphic presentation of relative cannabinoid concentration
CBDV - Cannabidivarin	0.351	0.063	
CBDA - Cannabidiolic acid	1.716	0.086	
CBGA - Cannabigerolic acid	0.039	0.012	
CBG - Cannabigerol	0.074	0.022	
CBD - Cannabidiol	3.39	0.17	
THCV - Tetrahydrocannabivarin	0.113	0.018	
CBN - Cannabinol	< LOQ	n/a	
Δ⁹-THC - Δ-9-Tetrahydrocannabinol	0.071	0.016	
Δ⁸-THC - Δ-8-Tetrahydrocannabinol	< LOQ	n/a	
CBL - Cannabicyclol	< LOQ	n/a	
CBC - Cannabichromene	0.0418	0.0092	
Δ⁹-THCA - Δ-9-Tetrahydrocannabinolic acid	0.0309	0.0068	
CBE - Cannabielsoin	< LOQ #	n/a	
CBNV - Cannabivarin	< LOQ #	n/a	
CBCA - Cannabichromenic acid	0.060 #	0.014	
CBT - Cannabicitran	< LOQ #	n/a	

Units and abbreviations: % w/w = weight percent, < LOQ = below the limit of quantitation (0.03 % w/w), ND = not detected, n/a = not available.

The results given herein apply only to the sample as received. Expanded Uncertainty was calculated using coverage factor k = 2, corresponding to a double standard uncertainty and characterizes the interval value in which it is possible to expect the real value with a probability of 95%. This is stated according to the ISO/IEC Guide 98-3.

Total or partial reproduction of this document is not allowed without the permit from PharmaHemp d.o.o. The document does not substitute any other legal document.

Date issued:

20/05/2022

Approved by:

mag. Marko Dragan
Analytical Laboratory Manager

Authorized by:

dr. Boštjan Jančar
Chief Technology Officer

End of Certificate


CERTIFICATE OF ANALYSIS No.: 2022-9208

CLIENT

Pharmahemp d.o.o., Cesta v Gorice 8
1000 Ljubljana, Slovenija

SAMPLE *

CBD DROPS 10% - hemp oil



Sample condition: SUITABLE
Sample ID: 2223035
Sample type: Viscous liquid
Batch No.: * DR10022159D

Work order: 2022-106624
Analysis ID: 2022_132
Method ID: PHL_RPC_12C
Method SOP: MET-LAB-003-02

Sample received: 08/06/2022
Start of analysis: 08/06/2022
End of analysis: 09/06/2022
Analyst: Karmen Korbar

* Information provided by the client.

CANNABINOID PROFILE	Concentration [% w/w]	Expanded uncertainty [% w/w]	Graphic presentation of relative cannabinoid concentration
CBDV - Cannabidivarin	1.130	0.056	
CBDA - Cannabidiolic acid	1.597	0.080	
CBGA - Cannabigerolic acid	0.036	0.011	
CBG - Cannabigerol	0.169	0.042	
CBD - Cannabidiol	8.58	0.43	
THCV - Tetrahydrocannabivarin	0.360	0.058	
CBN - Cannabinol	< LOQ	n/a	
Δ⁹-THC - Δ-9-Tetrahydrocannabinol	0.053	0.012	
Δ⁸-THC - Δ-8-Tetrahydrocannabinol	< LOQ	n/a	
CBL - Cannabicyclol	< LOQ	n/a	
CBC - Cannabichromene	0.0315	0.0069	
Δ⁹-THCA - Δ-9-Tetrahydrocannabinolic acid	< LOQ	n/a	
CBE - Cannabielsoin	0.073 #	0.020	
CBNV - Cannabivarin	0.0412 #	0.0091	
CBCA - Cannabichromenic acid	0.051 #	0.012	
CBT - Cannabicitran	< LOQ #	n/a	

Units and abbreviations: % w/w = weight percent, < LOQ = below the limit of quantitation (0.03 % w/w), ND = not detected, n/a = not available.

The results given herein apply only to the sample as received. Expanded Uncertainty was calculated using coverage factor k = 2, corresponding to a double standard uncertainty and characterizes the interval value in which it is possible to expect the real value with a probability of 95%. This is stated according to the ISO/IEC Guide 98-3.

Total or partial reproduction of this document is not allowed without the permit from PharmaHemp d.o.o. The document does not substitute any other legal document.

Date issued:

09/06/2022

Approved by:

mag. Marko Dragan
Analytical Laboratory Manager

Authorized by:

dr. Boštjan Jančar
Chief Technology Officer

End of Certificate


CERTIFICATE OF ANALYSIS No.: 2022-9085

CLIENT

Pharmahemp d.o.o., Cesta v Gorice 8
1000 Ljubljana, Slovenija

SAMPLE *

CBD DROPS 15% - hemp oil



Sample condition: SUITABLE
Sample ID: 2221075
Sample type: Viscous liquid
Batch No.: * DR15022146A

Work order: 2022-106569
Analysis ID: 2022_120
Method ID: PHL_RPC_12C
Method SOP: MET-LAB-003-02

Sample received: 26/05/2022
Start of analysis: 26/05/2022
End of analysis: 27/05/2022
Analyst: Karmen Korbar

* Information provided by the client.

CANNABINOID PROFILE	Concentration [% w/w]	Expanded uncertainty [% w/w]	Graphic presentation of relative cannabinoid concentration
CBDV - Cannabidivarin	1.777	0.089	
CBDA - Cannabidiolic acid	1.719	0.086	
CBGA - Cannabigerolic acid	0.037	0.011	
CBG - Cannabigerol	0.252	0.063	
CBD - Cannabidiol	13.20	0.66	
THCV - Tetrahydrocannabivarin	0.573	0.069	
CBN - Cannabinol	< LOQ	n/a	
Δ⁹-THC - Δ-9-Tetrahydrocannabinol	0.060	0.013	
Δ⁸-THC - Δ-8-Tetrahydrocannabinol	< LOQ	n/a	
CBL - Cannabicyclol	< LOQ	n/a	
CBC - Cannabichromene	0.0332	0.0073	
Δ⁹-THCA - Δ-9-Tetrahydrocannabinolic acid	0.0313	0.0069	
CBE - Cannabielsoin	0.109 #	0.025	
CBNV - Cannabivarin	0.072 #	0.016	
CBCA - Cannabichromenic acid	0.054 #	0.012	
CBT - Cannabicitran	< LOQ #	n/a	

Units and abbreviations: % w/w = weight percent, < LOQ = below the limit of quantitation (0.03 % w/w), ND = not detected, n/a = not available.

The results given herein apply only to the sample as received. Expanded Uncertainty was calculated using coverage factor k = 2, corresponding to a double standard uncertainty and characterizes the interval value in which it is possible to expect the real value with a probability of 95%. This is stated according to the ISO/IEC Guide 98-3.

Total or partial reproduction of this document is not allowed without the permit from PharmaHemp d.o.o. The document does not substitute any other legal document.

Date issued:

27/05/2022

Approved by:

mag. Marko Dragan
Analytical Laboratory Manager

Authorized by:

dr. Boštjan Jančar
Chief Technology Officer

End of Certificate